

1. BIBLIOGRAPHICAL, ETC.

Date: 27 / 1 / 05

i-ii, 1-641, i-ii.

No of leaves 601

H 323 W 240 T 136
✓ ✓ 140

1. OPENING CHARACTERISTICS

☐ Hollow back



Left of centre



Angle 180

Centre

Angle 180

Right of centre

Angle 180



Right board

Angle 180

Closed book

Min.T. 120

Textblock breaks

Left board

Angle 180

2. PAGE MARKERS

☐ YES ☒ NO ☐ NK

TYPE

- ☐ Folded
☐ Folded and knotted
☐ Straight
☐ Other

ATTACHMENT

- ☐ Adhesive
☐ Sewn
☐ Other

MATERIAL

- ☐ Tawed
☐ Tanned
☐ Parchment
☐ Textile
☐ Silk
☐ Other

No. LOCATION

- ☐ Head
☐ Fore-edge
☐ Tail

No. CONDITION

- ☐ Sound
☐ Detached
☐ Broken off
☐ Dangling
☐ Worn
☐ Other

Leaf edge

Profile

Colour(s)

3. LIFTING TABS

☐ YES ☒ NO ☐ NK

LOCATION

- ☐ Fore-edge, right board
☐ Fore-edge, left board
☐ Fore-edge, both boards
☐ Other

MATERIAL

- ☐ Tanned skin
☐ NK
☐ Other

CONDITION

Left board

☐ Sound

- ☐ Detached
☐ Broken off
☐ Dangling
☐ Worn
☐ Missing
☐ Other

Right board

5. INSERTED MATERIAL

☐ YES ☒ NO

4. BOOKMARK

☐ YES

Simple

☐ Material

☐ NO

Compound

☐ Material

☒ NK

Loose

☐ Material

Colour

See P 10

Primary Type

Secondary Type

Primary Attachment Type

Decoration Type

2. TEXT LEAVES

1 ☐ PARCHMENT ☒ PAPER ☐ PAPYRUS ☐ PAPER/PARCHMENT

☐ Goat ☐ Sheep ☐ Hairsheep ☐ Calf ☐ NK

ARRANGEMENT ☐ Hairside/hairside ☐ Hairside/fleshside ☐ Irregular ☐ NK

TYPE ☒ Western ☐ Eastern ☐ NK ☒ Burnished ☒ All over ☐ Text area only ☐ NK ☒ Watermark

Paper/parchment arrangement

☒ Ruled ☐ None ☒ Mastara ☐ Pricked ☐ Dry point ☐ Frame ☐ NK ☐ Other

Pricking tools

Colour

COMPOSITE TEXT ☐ Yes ☒ No

Leaf dimensions Height

313

 Width

203

2. CONDITION - COMPLETE LEAVES

☐ Sound ☐ Damaged

SUBSTRATE ☐ Thin ☒ Medium ☐ Thick ☐ Supple ☒ Medium ☐ Stiff

Extent

5

 Severity

100

☒ Split/torn spine fold

Location

Few leaves

	Extent	Severity		Marginal	Text area	
☒ Cockled	5	5		100		
☐ Worn						
☐ Ragged	5	5		100		
☐ Tears	5	5		100		
☐ Insect						
☐ Rodent						
☐ Losses						
☐ Mould						
☐ Water damage	15	5		50	50	last quarter
☐ Stains	10	5-50		100		
☐ Grime						
☐ Blocking						
☐ Skinning						
☐ Pleating/folding						
☐ Adhesive tape						
☐ Other						

☐ Deposits

Lost/removed quires ☐ Yes ☒ No

3. OLD REPAIRS

☒ Yes ☐ None ☐ Overcasting

☐ Spine fold ☐ All through ☒ Marginal ☐ Occasional ☐ Text area ☐ Left/right ☐ Sewn leaf repairs ☐ Other

☒ Paper ☐ Parchment ☒ Plain ☐ Plain ☐ MS ☐ MS ☐ Printed ☐ Printed ☐ Other ☐ Other

☐ Other material

4. NEW REPAIRS

☒ Repairs needed ☐ No repairs needed

☒ Paper

Extent

5

 Severity

100

☒ Spine fold ☐ Marginal ☐ Text area ☐ Other

☐ Parchment

Extent Severity ☐ Spine fold ☐ Marginal ☐ Text area ☐ Cockling ☐ Other

3. INK & PIGMENT

1. INKS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Colour</th> <th>Text</th> <th>Deco-ration</th> <th colspan="3">Palimpsest</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>1</th> <th>2</th> <th>3</th> </tr> </thead> <tbody> <tr> <td>☒ Ink 1</td> <td>BLACK</td> <td>☒</td> <td>☒</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr> <td>☒ Ink 2</td> <td>RED</td> <td>☒</td> <td>☒</td> <td>☐</td> <td>☐</td> <td>☐</td> </tr> <tr><td>☐ Ink 3</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 4</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 5</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 6</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 7</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 8</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 9</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> <tr><td>☐ Ink 10</td><td></td><td>☐</td><td>☐</td><td>☐</td><td>☐</td><td>☐</td></tr> </tbody> </table>					Colour	Text	Deco-ration	Palimpsest							1	2	3	☒ Ink 1	BLACK	☒	☒	☐	☐	☐	☒ Ink 2	RED	☒	☒	☐	☐	☐	☐ Ink 3		☐	☐	☐	☐	☐	☐ Ink 4		☐	☐	☐	☐	☐	☐ Ink 5		☐	☐	☐	☐	☐	☐ Ink 6		☐	☐	☐	☐	☐	☐ Ink 7		☐	☐	☐	☐	☐	☐ Ink 8		☐	☐	☐	☐	☐	☐ Ink 9		☐	☐	☐	☐	☐	☐ Ink 10		☐	☐	☐	☐	☐	3. PAINTED DECORATION <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Drawn</th> <th>Painted</th> </tr> </thead> <tbody> <tr> <td>No. of full page miniatures</td> <td></td> <td></td> </tr> <tr> <td>No. of smaller miniatures/headpieces</td> <td>2</td> <td></td> </tr> <tr> <td>No. of initials</td> <td>Many</td> <td></td> </tr> </tbody> </table>					Drawn	Painted	No. of full page miniatures			No. of smaller miniatures/headpieces	2		No. of initials	Many	
	Colour	Text	Deco-ration	Palimpsest																																																																																																			
				1	2	3																																																																																																	
☒ Ink 1	BLACK	☒	☒	☐	☐	☐																																																																																																	
☒ Ink 2	RED	☒	☒	☐	☐	☐																																																																																																	
☐ Ink 3		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 4		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 5		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 6		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 7		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 8		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 9		☐	☐	☐	☐	☐																																																																																																	
☐ Ink 10		☐	☐	☐	☐	☐																																																																																																	
	Drawn	Painted																																																																																																					
No. of full page miniatures																																																																																																							
No. of smaller miniatures/headpieces	2																																																																																																						
No. of initials	Many																																																																																																						
2. CONDITION OF INKS							4. METAL FOILS CONDITION <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th colspan="3">FOIL 1</th> <th colspan="3">FOIL 2</th> </tr> <tr> <th></th> <th colspan="2"></th> <th>Sound</th> <th colspan="2"></th> <th>Sound</th> </tr> <tr> <th></th> <th>Extent</th> <th>Severity</th> <th></th> <th>Extent</th> <th>Severity</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 ☐ Gold mordant</td> <td></td> <td></td> <td>☐</td> <td></td> <td></td> <td>☐</td> </tr> <tr> <td>2 ☐ Gold support</td> <td></td> <td></td> <td>☐</td> <td></td> <td></td> <td>☐</td> </tr> <tr> <td>3 ☐ Shell gold</td> <td></td> <td></td> <td>☐</td> <td></td> <td></td> <td>☐</td> </tr> <tr> <td>4 ☐ Other</td> <td></td> <td></td> <td>☐</td> <td></td> <td></td> <td>☐</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>					FOIL 1			FOIL 2						Sound			Sound		Extent	Severity		Extent	Severity		1 ☐ Gold mordant			☐			☐	2 ☐ Gold support			☐			☐	3 ☐ Shell gold			☐			☐	4 ☐ Other			☐			☐																																												
	FOIL 1			FOIL 2																																																																																																			
			Sound			Sound																																																																																																	
	Extent	Severity		Extent	Severity																																																																																																		
1 ☐ Gold mordant			☐			☐																																																																																																	
2 ☐ Gold support			☐			☐																																																																																																	
3 ☐ Shell gold			☐			☐																																																																																																	
4 ☐ Other			☐			☐																																																																																																	

INK 1 ☒ Sound <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Extent</th> <th>Severity</th> </tr> </thead> <tbody> <tr><td>☐ Flaking</td><td></td><td></td></tr> <tr><td>☐ Abraded</td><td></td><td></td></tr> <tr><td>☐ Corroding</td><td></td><td></td></tr> <tr><td>☐ Oxidising</td><td></td><td></td></tr> <tr><td>☐ Spreading</td><td></td><td></td></tr> <tr><td>☐ Washed off</td><td></td><td></td></tr> <tr><td>☐ Off-set</td><td></td><td></td></tr> <tr><td>☐ Other</td><td></td><td></td></tr> </tbody> </table>		Extent	Severity	☐ Flaking			☐ Abraded			☐ Corroding			☐ Oxidising			☐ Spreading			☐ Washed off			☐ Off-set			☐ Other			INK 2 ☒ Sound <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Extent</th> <th>Severity</th> </tr> </thead> <tbody> <tr><td>☐ Flaking</td><td></td><td></td></tr> <tr><td>☐ Abraded</td><td></td><td></td></tr> <tr><td>☐ Corroding</td><td></td><td></td></tr> <tr><td>☐ Oxidising</td><td></td><td></td></tr> <tr><td>☐ Spreading</td><td></td><td></td></tr> <tr><td>☐ Washed off</td><td></td><td></td></tr> <tr><td>☒ Off-set</td><td>5</td><td>5</td></tr> <tr><td>☐ Other</td><td></td><td></td></tr> </tbody> </table>		Extent	Severity	☐ Flaking			☐ Abraded			☐ Corroding			☐ Oxidising			☐ Spreading			☐ Washed off			☒ Off-set	5	5	☐ Other			INK 3 ☐ Sound <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Extent</th> <th>Severity</th> </tr> </thead> <tbody> <tr><td>☐ Flaking</td><td></td><td></td></tr> <tr><td>☐ Abraded</td><td></td><td></td></tr> <tr><td>☐ Corroding</td><td></td><td></td></tr> <tr><td>☐ Oxidising</td><td></td><td></td></tr> <tr><td>☐ Spreading</td><td></td><td></td></tr> <tr><td>☐ Washed off</td><td></td><td></td></tr> <tr><td>☐ Off-set</td><td></td><td></td></tr> <tr><td>☐ Other</td><td></td><td></td></tr> </tbody> </table>		Extent	Severity	☐ Flaking			☐ Abraded			☐ Corroding			☐ Oxidising			☐ Spreading			☐ Washed off			☐ Off-set			☐ Other		
	Extent	Severity																																																																																	
☐ Flaking																																																																																			
☐ Abraded																																																																																			
☐ Corroding																																																																																			
☐ Oxidising																																																																																			
☐ Spreading																																																																																			
☐ Washed off																																																																																			
☐ Off-set																																																																																			
☐ Other																																																																																			
	Extent	Severity																																																																																	
☐ Flaking																																																																																			
☐ Abraded																																																																																			
☐ Corroding																																																																																			
☐ Oxidising																																																																																			
☐ Spreading																																																																																			
☐ Washed off																																																																																			
☒ Off-set	5	5																																																																																	
☐ Other																																																																																			
	Extent	Severity																																																																																	
☐ Flaking																																																																																			
☐ Abraded																																																																																			
☐ Corroding																																																																																			
☐ Oxidising																																																																																			
☐ Spreading																																																																																			
☐ Washed off																																																																																			
☐ Off-set																																																																																			
☐ Other																																																																																			
INK 4 ☐ Sound <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Extent</th> <th>Severity</th> </tr> </thead> <tbody> <tr><td>☐ Flaking</td><td></td><td></td></tr> <tr><td>☐ Abraded</td><td></td><td></td></tr> <tr><td>☐ Corroding</td><td></td><td></td></tr> <tr><td>☐ Oxidising</td><td></td><td></td></tr> <tr><td>☐ Spreading</td><td></td><td></td></tr> <tr><td>☐ Washed off</td><td></td><td></td></tr> <tr><td>☐ Off-set</td><td></td><td></td></tr> <tr><td>☐ Other</td><td></td><td></td></tr> </tbody> </table>		Extent	Severity	☐ Flaking			☐ Abraded			☐ Corroding			☐ Oxidising			☐ Spreading			☐ Washed off			☐ Off-set			☐ Other			INK 5 ☐ Sound <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th></th> <th>Extent</th> <th>Severity</th> </tr> </thead> <tbody> <tr><td>☐ Flaking</td><td></td><td></td></tr> <tr><td>☐ Abraded</td><td></td><td></td></tr> <tr><td>☐ Corroding</td><td></td><td></td></tr> <tr><td>☐ Oxidising</td><td></td><td></td></tr> <tr><td>☐ Spreading</td><td></td><td></td></tr> <tr><td>☐ Washed off</td><td></td><td></td></tr> <tr><td>☐ Off-set</td><td></td><td></td></tr> <tr><td>☐ Other</td><td></td><td></td></tr> </tbody> </table>		Extent	Severity	☐ Flaking			☐ Abraded			☐ Corroding			☐ Oxidising			☐ Spreading			☐ Washed off			☐ Off-set			☐ Other			5. SILK CURTAINS ☐ Yes ☐ No ☐ NK ☐ Sewn ☐ Adhered ☐ NK ☐ Evidence of earlier curtains ☐ Tissue interleaving Colour of curtain 																											
	Extent	Severity																																																																																	
☐ Flaking																																																																																			
☐ Abraded																																																																																			
☐ Corroding																																																																																			
☐ Oxidising																																																																																			
☐ Spreading																																																																																			
☐ Washed off																																																																																			
☐ Off-set																																																																																			
☐ Other																																																																																			
	Extent	Severity																																																																																	
☐ Flaking																																																																																			
☐ Abraded																																																																																			
☐ Corroding																																																																																			
☐ Oxidising																																																																																			
☐ Spreading																																																																																			
☐ Washed off																																																																																			
☐ Off-set																																																																																			
☐ Other																																																																																			

6. GENERAL COMMENT

MINIATURES
☐ Hairside
☐ Fleshside
☐ NK
☐ NA
PIGMENT
☐ Thin
☐ Medium
☐ Thick
☐ Sound
☐ Damaged but stable
☐ Damaged & dangerous

5. SEWING (CURRENT), EDGES

1. 5 No. of stations PREPARATION ☐ Pierced hole ☐ Single knife cut ☒ V-nick ☐ Other ☐ NK	6. SEWING SUPPORTS Number of supports ☐ Single ☐ Double ☐ NK MATERIAL ☐ Tawed ☐ Tanned ☐ Cord ☐ Parchment ☐ NK ☐ Other FORMATION ☐ Strap ☐ Twisted ☐ Rolled ☐ NK ☐ Other 	8. STATION MEASUREMENTS ☐ First sewing ☐ Resewn ☐ NK head 26 31 160 220 286 tail Current Previous Earlier																											
2. SEWING GUARDS ☒ None ☐ Parchment ☐ All gatherings ☐ Paper ☐ Beginning & end ☐ Inside ☐ NK ☐ Outside	7. SUPPORT ROUTE Double  ☐ Linked ☐ Not linked ☐ NK Single  Raised  Recessed Flat ☐ NK																												
3. THREAD ☒ Same as endband ☒ Single ☐ Thin ☐ Double ☐ Medium ☒ S-ply ☒ Thick ☐ Z-ply ☐ Tight twist ☐ NK ☐ Medium twist ☒ Plain ☒ Loose twist ☐ Silk ☐ NK ☒ Waxed Thread colour NATURAL																													
4. SUPPORTED ☐ Yes ☐ All-along ☐ 2-on ☐ Other ☐ NK																													
5. UNSUPPORTED ☒ Yes ☐ 2-needle ☐ Single sequence ☐ Double sequence ☒ NK																													
9. SEWING CONDITION STRUCTURE ☒ Sound ☐ Loose ☐ Broken left / right ☐ Broken in centre ☐ Complete breakdown ☐ Sewing removed ☐ Other THREAD ☒ Sound ☐ Weak ☐ Totally decayed ☐ Existing repairs tail head Spine: location of broken areas																													
10. EDGES ☐ Uncut ☒ Cut ☐ Cut before sewing ☐ Retrimmed METHOD ☐ Plain cut ☐ Knife cut ☒ Blade marks ☐ NK	DECORATION ☒ None ☐ Coloured ☐ Painted ☐ Gilt ☐ Gaufered ☐ Sprinkled ☐ NK ☐ Other 	COLOURS																											
11. EDGE CONDITION <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Extent</th> <th>Severity</th> <th>Condition</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">10</td> <td style="text-align: center;">10</td> <td>☒ Sound</td> </tr> <tr> <td></td> <td></td> <td>☒ Worn</td> </tr> <tr> <td></td> <td></td> <td>☐ Rounded</td> </tr> <tr> <td></td> <td></td> <td>☐ Stained</td> </tr> <tr> <td style="text-align: center;">20</td> <td style="text-align: center;">10</td> <td>☒ Grime</td> </tr> <tr> <td></td> <td></td> <td>☐ Soft</td> </tr> <tr> <td></td> <td></td> <td>☐ Faded</td> </tr> <tr> <td></td> <td></td> <td>☐ Other </td> </tr> </tbody> </table>			Extent	Severity	Condition	10	10	☒ Sound			☒ Worn			☐ Rounded			☐ Stained	20	10	☒ Grime			☐ Soft			☐ Faded			☐ Other
Extent	Severity	Condition																											
10	10	☒ Sound																											
		☒ Worn																											
		☐ Rounded																											
		☐ Stained																											
20	10	☒ Grime																											
		☐ Soft																											
		☐ Faded																											
		☐ Other 																											

6. BOARDS

1. ☒ Yes ☐ No ☐ NK 2. ATTACHMENT Outside		3. MATERIAL - LEFT ☒ Same as right ☒ WOOD ☐ OTHER ☐ Hardwood ☐ Softwood ☒ NK ☐ Vertical grain ☐ Horizontal grain ☐ NK ☐ Composite ☐ Re-used ☒ Same size ☐ Squares ☐ Undersize ☐ Non-original Board thickness 7 mm ☐ PAPER ☐ Laminated ☐ Pulp ☐ NK ☐ Other ☐ Plain paper ☐ Printed paper ☐ MS paper ☐ NK ☐ Other		3a. MATERIAL - RIGHT (if different) ☐ WOOD ☐ OTHER ☐ Hardwood ☐ Softwood ☐ NK ☐ Vertical grain ☐ Horizontal grain ☐ NK ☐ Composite ☐ Re-used ☐ Same size ☐ Squares ☐ Undersize ☐ Non-original Board thickness mm ☐ PAPER ☐ Laminated ☐ Pulp ☐ NK ☐ Other ☐ Plain paper ☐ Printed paper ☐ MS paper ☐ NK ☐ Other																																																																																																																	
☐ Bridling ☐ Pasted slips ☐ Laced slips ☒ NK ☐ Integral ☐ Other		4. EDGE TREATMENT ☐ Centre bevels ☐ Clasp bevels ☐ Internal bevel ☐ Other shapes 1 2 3 4 ☐ Other edge groove ☐ Unknown grooved ☐ NK																																																																																																																			
5. CORNER TREATMENT 1 4 2 5 3 6 ☐ Unknown grooved ☐ NK		7. LINING(S) ☐ No ☐ Yes ☒ NK ☐ Parchment ☐ Plain ☐ MS ☐ Printed ☐ Paper ☐ Eastern ☐ Western ☐ Burnished ☐ Plain ☐ MS ☐ Printed Script/type ☐ Textile ☐ Plain ☐ Decorated Colour ☐ Other 																																																																																																																			
6. Spine edge profile Outer surface Left board Inner surface Inner surface Right board Outer surface		8. BOARD DAMAGE Left board inner surface Spine Right board inner surface Spine																																																																																																																			
9a. BOARD ATTACHMENT CONDITION Left <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Extent</th> <th>Severity</th> <th></th> </tr> </thead> <tbody> <tr><td></td><td></td><td>Sound</td></tr> <tr><td></td><td></td><td>Sewing</td></tr> <tr><td>700</td><td>100</td><td>Endbands</td></tr> <tr><td></td><td></td><td>Lining</td></tr> <tr><td></td><td></td><td>Covering</td></tr> <tr><td>25</td><td>25</td><td>AVERAGE</td></tr> <tr><td></td><td></td><td>Repaired</td></tr> <tr><td></td><td></td><td>Stiffness</td></tr> </tbody> </table> Right <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Extent</th> <th>Severity</th> <th></th> </tr> </thead> <tbody> <tr><td></td><td></td><td>Sound</td></tr> <tr><td></td><td></td><td>Sewing</td></tr> <tr><td>75</td><td>100</td><td>Endbands</td></tr> <tr><td></td><td></td><td>Lining</td></tr> <tr><td></td><td></td><td>Covering</td></tr> <tr><td>20</td><td>25</td><td>AVERAGE</td></tr> <tr><td></td><td></td><td>Repaired</td></tr> <tr><td></td><td></td><td>Stiffness</td></tr> </tbody> </table> ☐ Replacement board(s)		Extent	Severity				Sound			Sewing	700	100	Endbands			Lining			Covering	25	25	AVERAGE			Repaired			Stiffness	Extent	Severity				Sound			Sewing	75	100	Endbands			Lining			Covering	20	25	AVERAGE			Repaired			Stiffness	9b. BOARD CONDITION Left board <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Extent</th> <th>Severity</th> <th></th> </tr> </thead> <tbody> <tr><td></td><td></td><td>Sound</td></tr> <tr><td></td><td></td><td>Missing</td></tr> <tr><td></td><td></td><td>Worm</td></tr> <tr><td></td><td></td><td>Split</td></tr> <tr><td></td><td></td><td>Delaminated</td></tr> <tr><td></td><td></td><td>Corners</td></tr> <tr><td></td><td></td><td>Concave</td></tr> <tr><td></td><td></td><td>Convex</td></tr> <tr><td></td><td></td><td>Other</td></tr> </tbody> </table> Right board <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Extent</th> <th>Severity</th> <th></th> </tr> </thead> <tbody> <tr><td></td><td></td><td>Sound</td></tr> <tr><td></td><td></td><td>Missing</td></tr> <tr><td></td><td></td><td>Worm</td></tr> <tr><td></td><td></td><td>Split</td></tr> <tr><td></td><td></td><td>Delaminated</td></tr> <tr><td></td><td></td><td>Corners</td></tr> <tr><td></td><td></td><td>Concave</td></tr> <tr><td></td><td></td><td>Convex</td></tr> <tr><td></td><td></td><td>Other</td></tr> </tbody> </table> ☐ Old repair		Extent	Severity				Sound			Missing			Worm			Split			Delaminated			Corners			Concave			Convex			Other	Extent	Severity				Sound			Missing			Worm			Split			Delaminated			Corners			Concave			Convex			Other
Extent	Severity																																																																																																																				
		Sound																																																																																																																			
		Sewing																																																																																																																			
700	100	Endbands																																																																																																																			
		Lining																																																																																																																			
		Covering																																																																																																																			
25	25	AVERAGE																																																																																																																			
		Repaired																																																																																																																			
		Stiffness																																																																																																																			
Extent	Severity																																																																																																																				
		Sound																																																																																																																			
		Sewing																																																																																																																			
75	100	Endbands																																																																																																																			
		Lining																																																																																																																			
		Covering																																																																																																																			
20	25	AVERAGE																																																																																																																			
		Repaired																																																																																																																			
		Stiffness																																																																																																																			
Extent	Severity																																																																																																																				
		Sound																																																																																																																			
		Missing																																																																																																																			
		Worm																																																																																																																			
		Split																																																																																																																			
		Delaminated																																																																																																																			
		Corners																																																																																																																			
		Concave																																																																																																																			
		Convex																																																																																																																			
		Other																																																																																																																			
Extent	Severity																																																																																																																				
		Sound																																																																																																																			
		Missing																																																																																																																			
		Worm																																																																																																																			
		Split																																																																																																																			
		Delaminated																																																																																																																			
		Corners																																																																																																																			
		Concave																																																																																																																			
		Convex																																																																																																																			
		Other																																																																																																																			

7. SPINE, SPINE LININGS AND ENDBANDS

1. SPINE

ADHESIVE

- ☐ No
☒ Yes
☐ NK

Adhesive type

- ☐ Animal
☐ Starch
☒ NK

2. Spine & joint profile

SHAPE (original)

- ☐ Flat
☐ Slight round
☒ Round
☐ Heavy round
☐ NK

JOINTS

- ☐ None
☐ Curved
☒ Angled
☐ Right angle
☐ NK

3. SPINE CONDITION

ADHESIVE

- ☐ NA
☒ Sound

Extent

☐

Extent

☐

Extent Severity

☐
☐
☐

- ☐ Loss of adhesion

- ☐ Cracked

- ☐ Rodent damage

- ☐ Insect damage

- ☐ Mould damage

Current profile

EXTRA APPLICATION

- ☐ Animal
☐ Starch
☐ NK
☐ Other

4. LINING

- ☐ No
☐ Yes
☒ NK

- ☐ Overall
☐ Transverse
☐ Comb
☐ Panel
☐ H&T only
☐ NK
☐ Other

LINING MATERIAL

- ☐ Parchment
☐ Paper
☐ Textile
☐ Tanned skin
☐ Tawed skin
☐ NK
☐ Other

MATERIAL TYPE

- ☐ Plain
☐ MS
☐ Printed
☐ Decorated
☐ NK

LINING JOINTS

- ☐ Inside boards
☐ Outside boards
☐ NK

Right Lining(s) from outside Left

Colour

No. of layers

1st

2nd

3rd

5. LINING CONDITION

- ☐ Missing ☐ Sound
☐ Spine detach

Extent Left

☐

Right Extent

☐

- ☐ Split at joint

- ☐ Lifted from bds

Extent Severity

☐
☐
☐
☐
☐
☐

- ☐ Mechanical damage

- ☐ Rodent damage

- ☐ Insect damage

- ☐ Mould damage

- ☐ Other

6. ENDBAND

- ☒ Yes

- ☐ No

- ☐ NK

- ☒ Greek

- ☒ Western

- ☐ Islamic

- ☐ Other

- ☐ Missing

1 No. of cores

- ☒ Cord
☐ Tanned
☐ Parchment
☐ Tawed
☐ NK
☐ Other

cross section

PRIMARY

- ☒ Plain thread
☒ Silk
☐ Metal thread
☐ NK
☐ Other

- ☐ No bead

- ☐ No front bead

- ☐ Reversing twist

- ☐ Greek, single core

- ☐ Greek, double core

- ☐ Warps only

- ☐ NK

- ☐ Other

Colours

- 1 NATURAL
 2 BLUE
 3

Front

Back

BOARD ATTACH

- ☐ None ☒ Sewn
☐ Laced ☐ Sewn & recessed
☐ Adhered ☐ NK
☐ Other
☐ Straight ☐ Angled

NO. OF TIEDOWNS

- ☐ Every gathering
☐ Frequent
☒ Infrequent
☐ NK

SECONDARY

- ☒ None
☐ Plain thread
☐ Silk
☐ Metal thread
☐ Stuck-on
☐ NK
☐ Other

Colours

- 1
 2
 3
 4
 5

Front

Back

- ☐ Extra stuck-on folded endbands

7. ENDBAND CONDITION

- ☐ Sound

HEAD

TAIL

- ☐ Sound

Slips detached from board

- ☐ L
☐ R

Slip(s) broken at joint(s)

- ☐ L
☐ R

- ☐ Core broken across spine

Extent

50

30

15

- ☒ Loose ☐ Missing

- ☒ Tiedowns pulled out

- ☐ Primary broken

- ☐ Secondary broken

- ☐ Warps broken

- ☒ Primary worn away

- ☐ Secondary worn away

- ☐ Missing core

- ☐ Missing endband

- ☐ Other

Slips detached from board

- ☐ L
☐ R

Slip(s) broken at joint(s)

- ☐ L
☐ R

- ☐ Core broken across spine

Extent

30

20

- ☒ Loose ☐ Missing

- ☐ Tiedowns pulled out

- ☐ Primary broken

- ☐ Secondary broken

- ☐ Warps broken

- ☒ Primary worn away

- ☐ Secondary worn away

- ☐ Missing core


- ☐ Missing endband

- ☐ Other

8. PRIMARY COVERING

1. PRIMARY ☒ Yes ☐ No ☐ NK				
TYPE ☒ Full ☐ Quarter ☐ None ☐ Missing ☐ NK ☐ See below, 3 ☒ Hairside out ☐ Fleshside out COLOUR BROWN BLACK	MATERIAL ☒ Tanned skin ☐ Tawed skin ☐ Parchment ☐ Cartonnage ☐ Paper ☐ Textile ☐ NK ☐ Other	SOURCE ☒ Goat ☐ Sheep ☐ Hairsheep ☐ Calf ☐ NK ☐ Other	STATUS ☒ First use ☐ Re-used ☐ MS ☐ Printed ☐ Book cover ☐ Pieced ☐ NK ☐ Other	CORNERS ☐ Lapped Fe over ☐ Lapped H & T over ☐ Lapped mixed ☐ Tongued mitre ☐ Butt mitre ☒ Open mitre ☐ NK ☐ Other


☐ EXISTING REPAIRS ☐ Overback ☐ Patched ☐ Other ☐ Cap core

2. TOOLING ☐ None ☐ NK		☒ Fillets ☒ Rolls ☒ Small tools ☒ Centre piece ☐ Corner piece ☐ Other		Some as right.
☒ Yes ☒ Blind tooling ☐ Gold tooling ☐ NK ☐ Other	☐ No. of rolls ☐ No. of small tools			

3. CONDITION (PRIMARY) [HATCH ALL THE MISSING AREAS OF COVERING MATERIAL]

Right OUTSIDE OF COVER Left

Spine



4. CONDITION (PRIMARY)		Extent Severity	Extent
Extent Severity ☐ 5 ☐ 20 ☐ 5 ☐ 5.25 ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	☒ Missing ☒ Torn ☒ Abraded ☐ Rodent ☐ Insect ☐ Water	☐ Deposits ☒ Laceration ☐ Embrittled ☐ Encrusted ☐ Other	Extent ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

5. SECONDARY COVER ☐ Yes ☒ No ☐ NK

1

	Clasp	Catchplate	Edge pin	Side pin	Bosses 1	Bosses 2	Bosses 3	Edge nails	Surface nails	Corners	Plates	Full cover	Straps	Strap plates	Strap collars	Articulated metal spines		
																	Continuous	Separated
Copper alloy	☐	☐	☒	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Silver	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Silver gilt	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Iron	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Wood	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Bone/ivory	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Other	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐
NK	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Sheet metal	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Cast	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Repoussé	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Enamelled	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
NK	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Thru' pastedown	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☒	☐	☐	☐	☐	☐	☐

2 CATCHPLATE/PIN

☐ Simple edge pin *

☐ Fastened edge pin*

☐ Bent and slotted

☐ Rolled round bar

☐ Raised lip

☐ NK

☐ Other

CLASP

☐ Stirrup ring

☐ Simple hook

☐ Folded hook

☐ Pierced strap

☐ NK

☐ Other

STRAP

☒ Triple braided strap

☐ Double braided strap

☐ Flat strap

☐ NK

☐ Other

☐ Under pastedown

☒ Thru' pastedown

☐ NK

STRAP MATERIAL

☒ Tanned skin

☐ Tawed skin

☐ Parchment

☐ Textile

☐ Laminate

☐ Metal hinge

☐ NK

☐ Other

TIES

☐ Tanned skin

☐ Tawed skin

☐ Textile

☐ NK

☐ Other

Colour

3. LOCATION AND SHAPE

Boss profile(s)

*Pin head shape

End

Side

Outside right cover

Spine

Outside left cover

10. ADDITIONAL NOTES

☐ Re-examination required of:

TITLING & EDGE DECORATION

Head

Foreedge

Tail

	☐	
	☐	

URGENT MINIMAL REPAIRS

☒ Yes ☐ No

Leaves

☒

Sewing

☐

Boards

☐

Endbands

☐

Covering

☐

Other

☐

1.4 - Braided tape Blue/Brown and Natural sewn to the endband with thin thread.

Fragments of 2 previous book marks under hood end band.